

RIVETING HAMMER

BAHCO
DORTMUND



**PNEUMATIC RIVETING HAMMER
SERIES FRH**

BAHCO



With these riveting hammers controlled strokes for the rivets can be generated in order to reduce the effect of work hardening of the rivets or damage to the surrounding metal.




Riveting and Chisel											
Type	Chisel-shaft	Chisel shaft size mm	Strokes Hz	Piston Ø mm	Stroke mm	Total length mm	Weight kg	Air cons. (under load) m ³ /min	Comp. air connect. BSP	Hose width	
										mm	Inch
FRH-3-1	Hex	S 8,7 x 30	60	14,3	38,0	140	1,1	0,35	¼	9,5	¾
FRH-3-2	round	R10,2 x 30	60	14,3	38,0	140	1,1	0,35	¼	9,5	¾
FRH-6-1	Hex	S 8,7 x 30	30	12,7	100,0	206	1,4	0,35	¼	9,5	¾
FRH-6-2	round	R10,2 x 30	30	12,7	100,0	206	1,4	0,35	¼	9,5	¾
FRH-6A-1	Hex	S 8,7 x 30	50	20,0	44,5	193	1,5	0,40	¼	9,5	¾
FRH-6A-2	round	R10,2 x 30	50	20,0	44,5	193	1,5	0,40	¼	9,5	¾











CHISELS FOR FRH SERIES

Index-No.	Article-No.		Part name
	Round	Hexagonal	
808	WA-808	WA-808H	Muffler Cutter
809	WA-809	WA-809H	Double Edge Panel Cutter
810	WA-810	WA-810H	Flat Chisel
812	WA-812	WA-812H	Tape Punch
813	WA-813	WA-813H	Rivet Cutter
814	WA-814	WA-814H	Blank Chisel
815	WA-815	WA-815H	Spot Weld Breaker

Round shank



Hexagonal shank



BAHCO
DORTMUND

BAHCO GmbH & Co.KG

Martener Hellweg 60

DE- 44379 Dortmund

Phone

+49 231/91 72 11-0

Fax

+49 231/91 72 11-22

www.bahco.de

info@bahco.de

BAHCO

All information subject to change without further notice.
No responsibility is taken for the correctness of the named specifications.