

# ACCESSORIES COMPRESSED AIR

**BAHCO**  
DORTMUND



**BALL VALVES  
BRASS NICKEL-PLATED**

**BAHCO**

## BAHCO GmbH & Co.KG

Martener Hellweg 60

DE- 44379 Dortmund

### Phone


+49 231/91 72 11-0


### Fax

+49 231/91 72 11-22


www.bahco.de

info@bahco.de

Ball valves, light duty	Type	Part-No.	DN	I	h	Housing Ø mm	Thread G
	K 14 - K	61 9007 60	8	37	41	23	2 x 1/4" I
	K 38 - K	61 9007 61	10	42	37	24	2 x 3/8" I
	K 12 - K	61 9007 62	15	50	40	30	2 x 1/2" I
	K 34 - K	61 9007 63	20	58	48	38	2 x 3/4" I
	K 10 - K	61 9007 64	25	68	52	46	2 x 1" I
	K 15 - K	61 9007 65	40	93	69	70	2 x 1 1/2" I
	K 20 - K	61 9007 66	50	110	83	86	2 x 2" I




Pressure and temperature diagram  
Each ball valve nominal pressure is  
PN depends on the type and size of  
Temperature respectively vice versa.

Ball valve, heavy duty PN 35 bar	Type	Part-No.	DN	I	h	SW	Thread G
	KM 14 T	61 9000 10	8	50	78	25	2 x 1/4" I
	KM 38 T	61 9000 20	10	60	78	25	2 x 3/8" I
	KM 12 T	61 9000 30	15	75	82	26	2 x 1/2" I
	KM 34 T	61 9000 40	20	80	90	32	2 x 3/4" I
	KM 10 T	61 9000 50	25	90	97	39	2 x 1" I

Double ball valve w. ventilation PN 35 bar	Type	Part-No.	Output thread	Input thread	DN	I	h	SW	Thread G
	DKH 10	61 9000 60	2 x G 3/4" a	D 1" i	13	115	105	41	1 x 1" I - 2 x 3/4" A



Miniature - ball valves PN 10 bar	Type	Part-No.	DN	I	h	SW	Thread G
	KM 14 TS	61 9007 40	5,5	36	38	19	2 x 1/4" I
	KM 38 TS	61 9007 41	8	41	38	21	2 x 3/8" I
	KM 12 TS	61 9007 42	10	48	42	25	2 x 1/2" I

All information subject to change without further notice.  
No responsibility is taken for the correctness of the named specifications.