

BENCH PRESSES

BAHCO
DORTMUND



BENCH PRESS - ZHB/ZMB

BAHCO

- Capacity: 111 kN
- Flexible Workshop Equipment
- Available with hand pump or with an air-hydraulic pump
- Huge accessory program for mounting on the hydraulic cylinder

Bench presses are suitable for lighter work, like pressing in and pressing out bearings and bushings, simple straightening work, etc.

Due to the compact design, these presses do not require a lot of space

and can be easily integrated into the working environment. A wide range of accessories is available for mounting on the hydraulic cylinder (CFC1012).

The product range offers two different types:

- with hand pump (ZHB10)
- with air hydraulic pump (ZMB6).


Dimensions

| Type | Capacity kN (t) | Stroke mm | Weight kg |
|-------|--------------------|--------------|--------------|
| ZHB10 | 111(11) | 305 | 47 |
| ZMB6 | 111(11) | 305 | 47 |

| Description | ZHB10 | ZMB6 |
|------------------------|-----------|------------|
| Pump | P70-1000 | PP70B-1000 |
| Cylinder | CFC1012 | CFC1012 |
| Quick coupling | TX26S | TX26S |
| Hose | TX40-1,5 | TX 40-1,5 |
| Press stand | ZB110 | ZB110 |
| Pressure gauge bracket | AVM202 | AVM202 |
| Gauge | AMP651 | AMP651 |
| V-Block | 2 x TBV10 | 2 x TBV10 |

| Dimensions | | | | | | | | | | | |
|------------|------|------|------|------|------|------|------|------|------|------|------|
| Model | A mm | B mm | C mm | D mm | E mm | F mm | G mm | H mm | J mm | K mm | L mm |
| ZHB10/ZMB6 | 480 | 720 | 195 | 855 | 80 | 325 | 51 | 60 | 420 | 450 | 110 |

Technical drawing



BAHCO
DORTMUND

BAHCO GmbH & Co.KG

Martener Hellweg 60

DE- 44379 Dortmund

Phone

+49 231/91 72 11-0

Fax

+49 231/91 72 11-22

www.bahco.de

info@bahco.de

BAHCO