


PS-SERIES

BAHCO
DORTMUND



**FOLDING ARM
SERIES PS-75**

BAHCO

The **PS-75 series articulated arms** feature a long reach as well as a generous working area and can be used universally for tightening, riveting, testing, gluing, and many other applications. They are made of aluminum, are balanced by gas springs, and ensure effortless and safe handling with precise positioning of the tools and a high degree of freedom of movement. Thanks to the wide selection of tool holders, virtually any handheld tool can be adapted.

- *Torque capacity:* max. 75 Nm
- *Weight compensation:* up to 10 kg
- *Flexibility:* variety of tool holders and accessories
- *Range of application:* flexible working (horizontal, vertical, fixed, or swiveling)

Technical data

Type	Load capacity	Torque	Reach	
			Max.	Min.
	kg	Nm	mm	
PS-75-1000-0102	1 - 2	75	1000	300
PS-75-1000-0204	2 - 4	75	1000	300
PS-75-1000-0405	4 - 5	75	1000	300
PS-75-1000-0506	5 - 6	75	1000	300
PS-75-1000-0608	6 - 8	75	1000	300
PS-75-1000-0810	8 - 10	75	1000	300
PS-75-1200-0102	1 - 2	75	1200	400
PS-75-1200-0204	2 - 4	75	1200	400
PS-75-1200-0405	4 - 5	75	1200	400
PS-75-1200-0506	5 - 6	75	1200	400
PS-75-1200-0608	6 - 8	75	1200	400
PS-75-1200-0810	8 - 10	75	1200	400

Accessories



Adjustable vertical bracket

Weight 0.4 kg
Torque ≤ 50 Nm
ATH-4050-75 (Ø=40-50 mm)
ATH-5060-75 (Ø=50-60 mm)



Fixed vertical bracket

Weight 0.7 kg
Torque ≤ 150 Nm
VTF-F-060 (Ø=60 mm)*
*Sleeve can be ordered in any dimension



Swivel vertical bracket

Weight 1.5 kg
Torque ≤ 150 Nm
VTH-S-060 (Ø=60 mm)*
*Sleeve can be ordered in any dimension

Accessories



Adjustable horizontal bracket

Weight 1.2 kg
Torque ≤ 50 Nm
HTH-4050-75 ($\varnothing=40-50$ mm)
HTH-5060-75 ($\varnothing=50-60$ mm)



Rotating horizontal bracket

Fixed tool
Weight 1.6 kg
Torque ≤ 75 Nm
HTH-F-060*
* Sleeve can be ordered in any dimension



Rotating horizontal bracket

Swiveling tool
Weight 2.4 kg
Torque ≤ 75 Nm
HTH-S-060*
* Sleeve can be ordered in any dimension



Pillar

BST-080x080x0800 (h=750 mm)
BST-080x080x1300 (h=1300 mm)



Table mounting

Torque ≤ 50 Nm
TST-0510-75



Wall bracket

Torque ≤ 50 Nm
WBR-75-E



Wall bracket (double)

Torque ≤ 150 Nm
WBR-75-D



BAHCO GmbH & Co.KG

Martener Hellweg 60
DE- 44379 Dortmund

Phone

+49 231/91 72 11-0

Fax

+49 231/91 72 11-22

www.bahco.de

info@bahco.de

BAHCO

All information subject to change without further notice.
No responsibility is taken for the correctness of the named specifications.