

PA-SERIES

BAHCO
DORTMUND



**PARALLEL ARM
SERIES PA-25**


BAHCO

The **PA-25 parallel arm** provides noticeable relief in everyday work. It effectively absorbs weight and torque while remaining particularly easy to maneuver. The ergonomic system is ideal for the use of electric or pneumatic screwdrivers, welding equipment, as well as for tapping and installing Helicoil inserts.

The arm can swivel 360 degrees. Since it requires no clearance to the rear, it can be mounted directly on a wall and folded up very compactly after work.

- *Torque capacity:* up to 25 Nm
- *Weight compensation:* from 0 to 2.5 kg
- *Range of application:* perfect for vertical work

Technical drawing



Technical data


Type	Load capacity	Torque	Reach		Height
			Max.	Min.	
	kg	Nm	mm		
PA-25-0300-0002	0 - 2	25	650	400	350
PA-25-0300-02025	2 - 2.5	25	650	400	350
PA-25-0400-0002	0 - 2	25	800	550	430
PA-25-0400-02025	2 - 2.5	25	800	550	430

Accessories




Adjustable vertical bracket

Weight 0.2 kg
ATH-2540-25 (Ø=25-40 mm)
ATH-4050-25 (Ø=40-50 mm)



Fixed vertical bracket

Weight 0.2 kg
VTH-0036-25 (Ø=36 mm)
VTH-0038-25 (Ø=38 mm)
VTH-0046-25 (Ø=46 mm)
VTH-0056-25 (Ø=56 mm)



Swivel vertical bracket

Weight 0.2 kg
STH-0036-25 (Ø=36 mm)
STH-0038-25 (Ø=38 mm)
STH-0046-25 (Ø=46 mm)
STH-0056-25 (Ø=56 mm)



Table mounting

TST-0300-25 (H=300 mm)
TST-0470-25 (H=470 mm)



Wall mounting

WBR-25



Table clamp

TCL-TST-25/75



Pillar

BST-080x040x0750 (H=750 mm)
BST-080x040x1300 (H=1300 mm)



BAHCO GmbH & Co.KG

Martener Hellweg 60
DE- 44379 Dortmund

Phone

+49 231/91 72 11-0

Fax

+49 231/91 72 11-22

www.bahco.de

info@bahco.de

BAHCO

All information subject to change without further notice.
No responsibility is taken for the correctness of the named specifications.