

ACCESSORIES

BAHCO
DORTMUND



**PLUNGERS FOR
CF/CFU-CYLINDER**

BAHCO

Dimensions				
Model	for Cylinder	Type	Connection	
TH414 *	49 kN	Pressure head, flat	Tap Ø 19 mm	
Model	for Cylinder	Type	Connection	
THG413 *	49 kN	Pressure ball, Ø 3°	Bore Ø 19 mm	
Model	for Cylinder	Type	Connection	
THK412 *	49 kN	Wedge head	Tap Ø 19 mm	
Model	for Cylinder	Type	Connection	
THR415 *	49 kN	Pressure head, grooved	Tap Ø 19 mm	
Model	for Cylinder	Type	Connection	
THV411 *	49 kN	V-head	Tap Ø 19 mm	
Model	for Cylinder	Type	Connection	
TH117 **	111 kN	Pressure head, flat	Innen, NPT 1 ¼ - 1 ½	
Model	for Cylinder	Type	Connection	
THG113 **	111 kN	Pressure head, rubber Ø 3"	Female, NPT 1 ¼ - 1 ½	
Model	for Cylinder	Type	Connection	
THK112 **	111 kN	Wedge head	Female, NPT 1 ¼ - 1 ½	
Model	for Cylinder	Type	Connection	
THR114 **	111 kN	Pressure head, grooved	Female, NPT 1 ¼ - 1 ½	
Model	for Cylinder	Type	Connection	
THT115 **	111 kN	Pressure head with male thread, NPT 1 ¼ - 1 ½	Bore Ø 32 mm	
Model	for Cylinder	Type	Connection	
THV111 **	111 kN	V-head	Bore Ø 48 mm	

Dimensions				
Model	for Cylinder	Type	Connection	
THV118 **	111 kN	Pressure head, V-notch	Female, NPT 1 ¼ - 1 ½	
Model	for Cylinder	Type	Connection	
THK212 **	232 kN	V-head	Female, NPT 2 - 1 ½	
Model	for Cylinder	Type	Connection	
THR214 ***	232 kN	Pressure head, grooved	Female, NPT 2 - 1 ½	
Model	for Cylinder	Type	Connection	
THT215 ***	232 kN	Pressure head with male thread 2 - 1 ½	Bore Ø 48 mm	

Dimensions				
Model	for Cylinder	Type	Connection	
THV211 ***	232 kN	V-head	Female, NPT 2 - 1 ½	
Model	for Cylinder	Type	Connection	
THR10	111 kN	Pressure head, grooved	Bore Ø 32 mm	
THR10	111 kN	Pressure head, grooved	Bore Ø 32 mm	



BAHCO GmbH & Co.KG

Martener Hellweg 60
DE- 44379 Dortmund

Phone

+49 231/91 72 11-0

Fax

+49 231/91 72 11-22

www.bahco.de

info@bahco.de

BAHCO